Wood burning heater Harvia Legend 150 SL black

WK150LDSL

The Harvia Legend wood burning heaters give you the ultimate sauna experience. The black steel frame has a mighty amount of stones inside, and as they heat up, you get a magnificent sauna bath even at a lower temperature. The large number of stones ensures good heat, even if the fire dies down in between.

Features

Main material : Steel

H x W x D : 740.0 x 530.0 x 730.0 mm

Net weight (kg) : 65.1

Stone amount (kg) : 120.0

ID	GTIN	Power	Sauna room size min - max m3
WK150LDSL	6417659012447	16 kW	6.0-13.0

Related products

SASP0241

Spare parts

Product	ID	Pcs
Furnace grate	ZKIP-10	1
Handle for stove + screws	ZKIP-670	1
Handle for ash box	ZKIP-680	
Adjustable legs for LG150/SL	ZKIP-918	1
Stove door with glass	ZROST-048	
	ZKIP-573	1
Handle and screws, Chrome	SPZKIP-670	
Adjustable legs for LG150/SL	SPZKIP-918	
Hinge pin	SPZKIP-50	
Fire chamber air plates, Legend 150	SP524	1
Cap for smoke hole (Ø 50 mm)	SPZKIP-170	1
Glass 184x210x4 mm Stoves 2006-, transparent	SPZTS-36	1
Stove door with glass (from 2006)	SP048	1
Cast-iron grating 135x290mm, sauna heaters	SPZKIP-10	1
Ash box, 20 ES/SL,ESGF	SP681	1

Technical details

Technical data	Type / attribute	WK150LDSL
	Color	Black
	Power output	16 kW
	Stone sizes	Ø10–15 cm
	Stone amount (kg)	120
Dimensions	Product width	530
	Product height	740
	Product depth (mm)	730
	Net weight (kg)	65.1
	Gross weight	68.2
	Package width	745
	Package height	765
	Package depth	550
Connections	Flue connection locations	Top
	Chimney connection diameter	115
Safety and installation dimensions	Safety distance front (non-combustible materials)	500
	Safety distance front (combustible materials)	500
	Safety distance right side (combustible materials)	200
	Safety distance right side non-combustible materials	100
	Safety distance left side (combustible materials)	200
	Safety distance left side non-combustible materials	100
	Safety distance side (non-combustible materials)	100
	safety distance to the side wall (combustible materials)	200
	Safety distance behind (non-combustible materials)	100
	Safety distance behind (combustible materials)	250
	Safety distance (Ceiling)	1000
	Room min. height(depends on connections and therefore from output, star/delta)	1750

Technical details

Technical data	Type / attribute	WK150LDSL
	Installation opening height	1750
	Installation opening width	930
	Installation opening depth	1480

Technical images

WX017	M2, M3/SL, 20 Pro, 20 ES Pro/S Classic 220 Linear, 22

WL200	Legend 150 Legend 150 SL



Harvia protective sheaths (all dimensions in millimeters)

Platz.

	A min.	B min.	C min.	D min.
Legend 150/SL	1000	200	250	500
Legend 240/SL/Duo	1000	200	250	630
Legend 300	1000	200	250	680
Legend 300 Duo	1000	200	250	700



Safety distances (all dimensions in millimeters)

1.1. Stove Parts
A. Steel frame
B. Stove body
C. Rear connection opening
D. Upper connection opening
E. Soot opening
F. Stove door
G. Ash box
H. Flange (only Legend 240 Duo/300 Duo)
I. Fire chamber extension



Stove parts. Note! Only use replacement parts recommended by the manufacturer. Unauthorised modification of the stove is prohibited.



Legend Protection Supplies (all dimensions in millimeters)